

Clifton Cameras Product Specification

Opticron Imagic IS 16x42 Image Stabilised Binocular Full Spec

- Colour

Black

- Size

16x42

- Magnification

16

- Lens Dia. (mm)

42

- Lens Dia. (inch)

1.7

- Field of View (m@1000m)

66

- Field of View (°)

3.8

- Field of View (ft@1000yd)

198

- Close Focus (m)

4.2

- Close Focus (f)

13.8

- Eye Relief (mm)

15

- Eye Relief (inch)

0.6

- IPD Range (mm)

54~74

- IPD Range (inch)

2.1~2.9

- Waterproof

IPX-4 Splashproof

- Prism Type

Roof

- Length (mm)

180

- Width (mm)

118

- Depth (mm)

69

- Dimensions LxWxD (mm)

180x118x69

- Dimensions LxWxD (inches)

7.1x4.6x2.7

- Weight (g)

TBC

- Weight (oz)

TBC

- Weight (lb)

TBC

- Body Material

Aluminium Alloy, Polycarbonate

- Hinge Type

Single Hinge, Single Axis

- Armour Type

Full

- Armour Material

NBR

- Nitrogen Gas Filled

No

- Eyecup Type

4 stage twist

- Dioptre Adjustment Side

Right

- Dioptre Adjuster Location

Right

- Dioptre Range

5.00

- Focal Length (mm)

N/A

- Eyelens Dia (mm)

21.5

- Prism Material

BAK 4

- Prism Coating

Oasis

- PC Coating

Yes

- Lens Coating

Fully multi-coated

- Serial Number Location

Rear of main body

- Batteries Required

2x AAA 1.5V

- Battery Life

12 hours

- Country of Origin

China