

Clifton Cameras Product Specification

Opticron Natura WP PC 10x25 Full Spec

| | |
|-------|---|
| | <ul style="list-style-type: none">• Color |
| Black | |
| | <ul style="list-style-type: none">• Size |
| 10x25 | |
| | <ul style="list-style-type: none">• Magnification |
| 10 | |
| | <ul style="list-style-type: none">• Lens Dia. (mm) |
| 25 | |
| | <ul style="list-style-type: none">• Lens Dia. (inch) |
| 1 | |
| | <ul style="list-style-type: none">• Field of View (m@1000m) |
| 87 | |
| | <ul style="list-style-type: none">• Field of View (°) |
| 5 | |
| | <ul style="list-style-type: none">• Field of View (ft@1000yd) |
| 261 | |
| | <ul style="list-style-type: none">• Close Focus (m) |
| 2 | |
| | <ul style="list-style-type: none">• Close Focus (f) |
| 6.6 | |
| | <ul style="list-style-type: none">• Eye Relief (mm) |
| 16 | |

- Eye Relief (inch)

0.6

- IPD Range (mm)

34~74

- IPD Range (inch)

1.3~2.9

- Waterproof

Yes

- Prism Type

Roof

- Length (mm)

110

- Width (mm)

106

- Depth (mm)

32

- Dimensions LxWxD (mm)

110x106x32

- Dimensions LxWxD (inches)

4.3x4.2x1.3

- Weight (g)

298

- Weight (oz)

10.5

- Weight (lb)

0.7

- Body Material

Aluminum Alloy, Polycarbonate

- Hinge Type

Single Hinge, Twin Axis

- Armor Type

Full

- Armor Material

PR

- Nitrogen Gas Filled

Yes

- Eyecup Type

2 stage twist

- Diopter Adjustment Side

Right

- Diopter Adjuster Location

Right

- Diopter Range

6.00

- Focal Length (mm)

N/A

- Eyelens Dia (mm)

17



- Prism Material

BAK 4

- Prism Coating

Multi

- PC Coating

Yes

- Lens Coating

Fully multi-coated

- Serial Number Location

Rear of center plate

- Country of Origin

China