



Clifton Cameras Product Specification

Nikon NIKKO Z 26mm f2.8 S Lens

Model		NIKKOR Z 26mm f/2.8
Mount		Nikon Z mount
Focal length		26mm
Maximum aperture		f/2.8
Lens construction		8 elements in 6 groups (including 3 aspherical lens elements)
Angle of view		FX format: 79° DX format: 57°
Focusing system		All-element focusing system
Vibration reduction mechanism (lens-shift system w/ voice coil motor)	Vibration reduction (VR)	No (achieved with in-camera sensor-shift VR)
	When a tripod is used	No
Diaphragm blades		7 (rounded diaphragm opening)
Aperture system		Automatic aperture with electromagnetic diaphragm mechanism
Aperture range		f/2.8-16
Minimum focus distance		0.2 m from focal plane
Maximum reproduction ratio		0.19×
Weight		Approx. 125 g
Maximum diameter x length (distance to end of lens from camera lens mount flange)		Approx. 70 mm × 23.5 mm
Filter-attachment size		52 mm
Colour		Black
AF drive motor		Stepping motor (STM)
Nano Crystal Coat		No
ARNEO Coat		No
Focus-mode switch		No
Front lens cap		LC-K108 Lens Cap (supplied) NEW
Rear lens cap		LF-N1 Lens Cap (supplied)
Lens hood		HB-111 Lens Hood (supplied) NEW

Lens case		CL-C4 Lens Case (optional)	
Circular Polarizing Filter II compatibility	Lens only	No	
	With hood	Yes	
Compatible accessories		52 mm filters <ul style="list-style-type: none"> • Please use just one filter at a time. • Attach filters to the HB-111 lens hood. 	