

Clifton Cameras Specifications Sheet

For the

Benro Rhino 24C VX20 Kit

Head

Head Type	Ball Head
Base Mount	3/8"-16 Female
Camera Mounting Screw	3/8"-16 Male
Quick Release Plate Type	Arca-Type
Number of Bubble Levels	1
Friction Control	Yes
Independent Pan Lock	Yes
Ball Sphere Diameter	1.42" / 36 mm

Pan & Tilt Range

Vertical Tilt 90°

Panning Range 360°

General

Load Capacity 39.68 lb / 18 kg

Maximum Working Height 66.3" / 168.5 cm

Max Height without Center Column 54.92" / 139.5 cm

Minimum Working Height 19.1" / 48.5 cm

Folded Length 19.29" / 49 cm

Materials Aluminum Alloy, Carbon Fiber

Weight 3.84 lb / 1.74 kg

Legs

Leg Lock Type Twist Lock

Leg Positions 3 Positions

Independent Leg Spread Yes

Leg Sections 4

Leg Diameter 1.13" / 28.6 mm (Maximum)
0.72" / 18.4 mm (Minimum)

Bubble Level No

Feet Features Rubber

Detachable Monopod

Maximum Working Height 69.09" / 175.5 cm

Monopod Foot Features Rubber

Center Column

Center Column Features Ballast Hook, Removable

Center Column Shape Round

Center Column Extension Type Rapid

Lateral / 90-Degree Center
Column No

Packaging Info

Package Weight 5.58 lb

Box Dimensions (LxWxH) 21.5 x 5.6 x 5.6"