

Clifton Cameras Product Specification

Celestron NexStar 4SE Computerized Telescope Full Spec

Optical Tube Info:		
Optical Design:	Maksutov-Cassegrain	
Aperture: 102mm (4.02")		
Focal Length:	1325mm (52")	
Focal Ratio:	f/13	
Focal Length of Eyepiece 1: 25mm (0.98")		
Magnification of Eyepiece 1: 53x		
Finderscope:	StarPointer™ red dot finderscope	
Star Diagonal:	Internal Flip mirror for straight thru or 90° viewing angle	
Optical Tube:	Aluminum	
Highest Useful Magnification: 241x		
Lowest Useful Magnification: 15x		
Limiting Stellar Magnitude: 12.5		
Resolution (Rayleigh): 1.37 arc seconds		
Resolution (Dawes	s): 1.14 arc seconds	
Light Gathering Power (Compared to human eye): 212x		
Secondary Mirror Obstruction: 35mm (0.38")		
Secondary Mirror Obstruction by Diameter: 34%		
Secondary Mirror Obstruction by Area: 12%		
Optical Coatings: StarBright XLT		
Optical Tube Leng	th: 343mm (13.5")	
Optical Tube Diameter: 125mm (4.9")		



Optical Tube Weight:	6 lbs (2.7 kg)	
Dovetail: CG-5 Dovetail bar		
Mount Info:		
Mount Type: Co	omputerized Altitude-Azimuth Single Fork Arm	
Instrument load capaci	ty: 10 lbs (4.54 kg)	
Height adjustment range (includes mount and tripod): 939.8mm - 2397mm (37" - 55")		
Tripod leg diameter:38.1mm (1.5") Stainless Steel		
Mount Head Weight:	7 lbs (3.2 kg)	
Accessory Tray: Ye	es	
Tripod Weight: 10	lbs (4.54 kg)	
Slew Speeds: 9 s	slew speeds - max speed 3°/second	
Tracking Rates: Sid	dereal, Solar and Lunar	
Tracking Modes: Alt	-Az, EQ North and EQ South	
GPS: N/A		
Dovetail Compatibility:	CG-5 dovetail	
Number of Auxiliary Po	orts: 1x AUX Port	
Autoguide Port: No		
USB Port: Yes, Hand Control input		
Power Requirements:	8-AA batteries (not included) 12 VDC-750 mA (Tip positive)	
Motor Drive: D0	C servo motors	
Alignment Procedures: SkyAlign, 1-Star Align, 2-Star Align, Auto 2-Star Align, Solar System Align, EQ North / EQ South Alignment (EQ align requires an equatorial wedge)		
Periodic Error Correction	on: No	
Computerized Hand Co	ontrol: Double line, 18 character Liquid Crystal Display with 19 fiber optic backlit LED buttons	
NexStar+ Database:	38,181 accessible objects. Enhanced information on over 200 objects.	

Software: Celestron Starry Night Special Edition Software I SkyPortal App



Total Kit Weight: 23 lbs (10.4 kg)

Included Items: Optical tube | Single Fork Arm Mount and Tripod | Accessory Tray | Star Pointer Finderscope | Built-In Wedge | NexStar+ Hand Control | 25mm eyepiece

Solar Warning

Never look directly at the Sun with the naked eye or with an optic (unless you have the proper solar filter). Permanent and irreversible eye damage may result.

Never use your optic to project an image of the Sun onto any surface. Internal heat build-up can damage the optic and any accessories attached to it.

Never leave your optic unsupervised. Make sure an adult who is familiar with the correct operating procedures is with your optic at all times, especially when children are present.