

Clifton Cameras Product Specification

OM System M.Zuiko 40-150mm F4 PRO Lens Full Spec

Application Recommended Uses Macro, Nature, Portrait, Sports, Travel, Wildlife **Focal length** 40 - 150mm Focal length (equiv. 35mm) 80 - 300mm Lens Construction Angle of view 30 - 8.2° Closest focusing distance 0.7m Aspherical glass elements **ED** lens elements 2 1 (Super ED) HR elements Focusing method High-speed Imager AF (MSC) Lens configuration

19 elements / 9 groups



Lens mechanism Inner zoom, inner focus system Minimum field size 256.7 x 192.9mm (wide) 83.5 x 62.7mm (tele) Maximum image magnification 0.21x (Micro Four Thirds) / 0.41x (35mm format) **Aperture** Maximum aperture F4 Minimum aperture F22 Number of aperture blades 7 Circular aperture diaphragm for natural background blurring **Pro Features** Dust, splash & freezeproof Available According to IP53 Lens Hood locking Safety button L-Fn Button No MF Clutch

No

Dimensions

Length



Diameter
68.9mm (greatest dimension)
Weight
382g
Filter diamater
62mm
Compatibility
Compatible with 50fps
Yes
Cover & Cap
Lens Cap
LC-62G
Lens Hood
LH-66E

99.4mm