

## **Clifton Cameras Product Specification**

## Swarovski CL Curio 7x21 Binoculars

## **Specifications**

Magnification	7x
Effective objective lens diameter (mm)	21
Exit pupil diameter (mm)	3
Exit pupil distance (mm)	16
Field of view (m/1,000 m / ft/1,000 yd)	135 / 405
Field of view (degrees)	7.7
Field of view for eyeglass wearers (degrees)	7.7
Field of view, apparent (degrees)	51
Shortest focusing distance (m / ft)	2.5 / 8.2
Diopter adjustment left/right (dpt)	±4
Diopter correction at $\infty$ (dpt)	> 4
Interpupillary distance (mm / in)	50 - 74 / 2 - 2.9
Light transmission (%)	90
Twilight factor based on DIN 58388	12.1
Optical elements	20
Dimensions L* x W** x H** (mm / in)	92 x 95 x 44 / 3.6 x 3.7 x 1.7
Approx. width, closed (mm / in)	62 / 2,4
Approx. weight (g / oz)	250 / 8.9

Optical coatings: SWAROTOP, SWARODUR, SWAROBRIGHT · Functional temperature: -25°C to +55°C (-

13/+131°F) · Storage temperature: -30°C to +70°C (-22/+158°F) · Submersion tightness: 4m (13ft) (inert gas filling) · \*

with lowered eyecups  $\cdot$  \*\* at interpupillary distance of 64mm (2.5in)

Worldwide warranty of 10 years from purchase in line with our SWAROVSKI OPTIK warranty conditions. More details about the CL Curio, other products from SWAROVSKI OPTIK as well as repairs and services at myservice.swarovskioptik.com